

**DETAILED LITHOLOGS OF BOREHOLES****Note: All figures are in meter and SRL = Surface reduced level****BH NO. = K-3****SRL= 21.89**

<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	2.50	2.50	TOP SOIL
2.50	14.50	12.00	VARIEGATED CLAY
14.50	14.77	0.27	SANDSTONE
14.77	15.27	0.50	SANDY CLAY YELLOWISH
15.27	16.60	1.33	FERUG.SANDSTONE FRIABLE
16.60	16.75	0.15	SANDY CLAY YELLOWISH
16.75	17.30	0.55	SANDSTONE PEBBLES
17.30	17.52	0.22	MED TO FINE YELLOWISH SAND
17.52	18.80	1.28	SANDSTONE PEBBLES
18.80	22.20	3.40	SANDY VARIEGATED CLAY
22.20	22.50	0.30	FERUG.SANDSTONE WITH CONGL
22.50	23.50	1.00	VARIEGATED CLAY
23.50	27.50	4.00	SANDY VARIEGATED CLAY
27.50	33.50	6.00	GRAY CLAY
33.50	40.35	6.85	GREENISH GRAY CLAY
40.35	42.03	1.68	GRAY CLAY WITH RED SPOTS
42.03	42.45	0.42	GREENISH GREY CLAY
42.45	44.50	2.05	LIGHT GRAY CLAY
44.50	57.00	12.50	LIGHT GRAY CLAYWITH RED SPOTS
57.00	57.13	0.13	COMPACT-HARD GREENISH GRAY CLAY
57.13	62.50	5.37	GREENISH GRAY CLAY
62.50	62.85	0.35	COMPACT-HARD GREENISH GRAY CLAY
62.85	64.50	1.65	GREENISH GRAY CLAY
64.50	80.50	16.00	SANDY GRAY CLAY
80.50	82.50	2.00	GRAY CLAY WITH PYRITE & FOSSILS
82.50	82.55	0.05	DARK GRAY CLAY WITH CARB MATTER
<b>82.55</b>	<b>92.15</b>	<b>9.60</b>	<b>LIGNITE</b>
92.15	95.50	3.35	LIGHT GRAY CLAY
95.50	97.70	2.20	GREENISH GRAY CLAY WITH PYRITE
97.70	98.50	0.80	BASALT/TRAP

**BH NO. = K-4****SRL= 23.97**

<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	4.00	4.00	TOP SOIL WITH KANKARS
4.00	33.90	29.90	VARIEGATED CLAY
33.90	34.70	0.80	GRAY CLAY
34.70	37.05	2.35	GREENISH GRAY CLAY
37.05	41.50	4.45	GRAY CLAY
41.50	42.15	0.65	GREENISH GRAY CLAY
42.15	46.50	4.35	COMPACT-HARD GREENISH GRAY CLAY
46.50	47.50	1.00	GRAY CLAY
47.50	62.50	15.00	SANDY GRAY CLAY
62.50	68.50	6.00	SANDY GRAY CLAYWITH CARB MATTER
68.50	71.77	3.27	GRAY CLAY WITH FOSSILS
71.77	72.05	0.28	DARK GRAY CLAY WITH CARB MATTER

<b>72.05</b>	<b>77.35</b>	<b>5.30</b>	<b>LIGNITE</b>
77.35	77.50	0.15	CARB CLAY
<b>77.50</b>	<b>78.25</b>	<b>0.75</b>	<b>LIGNITE</b>
78.25	78.50	0.25	DARK GRAY CLAY WITH CARB MATTER
78.50	80.50	2.00	GRAY CLAY
80.50	83.50	3.00	SANDY GRAY CLAY WITH PYRITE
83.50	85.95	2.45	GREENISH GRAY CLAY WITH PYRITE
85.95	87.50	1.55	BASALT/TRAP
<b>BH NO. = K-5</b>			
<b>SRL= 21.81</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	2.70	2.70	TOP SOIL
2.70	24.68	21.98	VARIEGATED CLAY
24.68	26.70	2.02	GRAY CLAY
26.70	27.12	0.42	FRIABLE FERUG.SANDSTONE
27.12	27.72	0.60	SANDY YELLOWISH CLAY
27.72	28.18	0.46	FRIABLE FERUG.SANDSTONE
28.18	29.22	1.04	SANDY YELLOWISH CLAY
29.22	29.60	0.38	GRAY CLAY
29.60	29.65	0.05	SANDSTONE
29.65	30.20	0.55	SANDY YELLOWISH CLAY
30.20	30.26	0.06	SANDSTONE
30.26	31.00	0.74	MED TO FINE YELLOWISH SAND
31.00	31.17	0.17	SANDSTONE
31.17	32.50	1.33	SANDY GRAY CLAY
32.50	33.94	1.44	MED -FINEGRAIN GRAYISH SAND
33.94	34.00	0.06	GRAY CLAY
34.00	42.95	8.95	SANDY GRAY CLAY
42.95	44.50	1.55	MED-FINEGRAIN GRAYISH SAND
44.50	50.50	6.00	COARSE TO MED GRAINED GRAY SAND
50.50	50.65	0.15	CONGLOMERATIC SANDSTONE
50.65	54.95	4.30	SANDY GRAY CLAY
54.95	56.50	1.55	MED-FINEGRAIN GRAYISH SAND
56.50	56.88	0.38	SANDY GRAY CLAY
56.88	56.92	0.04	CONGLOMERATIC SANDSTONE
56.92	62.30	5.38	MED-FINEGRAIN GRAYISH SAND
62.30	62.70	0.40	SANDY GRAY CLAY
62.70	62.76	0.06	CONGLOMERATIC SANDSTONE
62.76	65.50	2.74	MED GRAINED GRAYISH SAND
65.50	65.65	0.15	CONGLOMERATIC SANDSTONE
65.65	67.00	1.35	MED GRAINED GRAYISH SAND
67.00	67.50	0.50	CONGLOMERATIC SANDSTONE
67.50	79.08	11.58	MED GRAINED GRAYISH SAND
79.08	79.30	0.22	CONGLOMERATIC SANDSTONE
79.30	82.90	3.60	GRAY CLAY
82.90	83.33	0.43	COMPACT-HARD GREENISH GRAY CLAY
83.33	83.95	0.62	GRAY CLAY
83.95	84.15	0.20	COMPACT-HARD GREENISH GRAY CLAY
84.15	86.50	2.35	GRAY CLAY WITH RED SPOTS
86.50	95.50	9.00	SANDY GRAY CLAY
95.50	98.50	3.00	SANDY GRAY CLAY WITH CARB.MATTER

98.50	99.25	0.75	GRAY CLAY WITH CARB MATTER
99.25	99.35	0.10	CLAY STONE
99.35	105.72	6.37	GRAY CLAY WITH FOSSILS
<b>105.72</b>	<b>114.05</b>	<b>8.33</b>	<b>LIGNITE</b>
114.05	116.35	2.30	GRAY CLAY WITH CARB MATTER
116.35	118.22	1.87	GRAY CLAY
118.22	120.65	2.43	GREENISH GRAY CLAY
120.65	122.50	1.85	WEATHERED BASALT
<b>BH NO. = K-7</b>			
<b>SRL= 26.11</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	3.80	3.80	TOP SOIL
3.80	10.00	6.20	VARIEGATED CLAY
10.00	11.56	1.56	SANDY VARIEGATED CLAY
11.56	11.84	0.28	SANDSTONE
11.84	13.00	1.16	MED TO FINE YELLOWISH SAND
13.00	13.20	0.20	SANDY VARIEGATED CLAY
13.20	13.35	0.15	SANDSTONE
13.35	14.45	1.10	SANDY VARIEGATED CLAY
14.45	14.62	0.17	FERRUG. SANDSTONE
14.62	14.92	0.30	VARIEGATED CLAY
14.92	19.00	4.08	MED GRAINED GRAY YELLOWISH SAND
19.00	32.50	13.50	VARIEGATED CLAY
32.50	33.57	1.07	V ARIEGATED CLAY WITH ASH MATERIAL
33.57	43.83	10.26	GREENISH GRAY CLAY WITH RED SPOTS
43.83	56.50	12.67	GRAY CLAY
56.50	59.50	3.00	GREENISH GRAY CLAY
59.50	59.65	0.15	COMPACT-HARD GREENISH GRAY CLAY
59.65	62.50	2.85	GREENISH GRAY CLAY
62.50	65.50	3.00	GREENISH GRAY CLAY
65.50	67.14	1.64	COMPACT-HARD GREENISH GRAY CLAY
67.14	67.91	0.77	GRAY CLAY
67.91	69.00	1.09	COMPACT-HARD GRAY CLAY
69.00	69.60	0.60	GREENISH GRAY CLAY
69.60	77.50	7.90	SANDY GRAY CLAY
77.50	78.95	1.45	SANDY GREENISH GRAY CLAY
78.95	80.50	1.55	GRAY CLAY
80.50	83.50	3.00	DARK GRAY CLAY WITH CARB MATTER
83.50	87.50	4.00	SANDY GRAY CLAY WITH PYRITE ,FOSSIL
87.50	87.90	0.40	GRAY CLAY WITH FOSSILS
87.90	88.08	0.18	DARK GRAY CLAY WITH CARB MATTER
<b>88.08</b>	<b>96.70</b>	<b>8.62</b>	<b>LIGNITE</b>
96.70	98.50	1.80	GRAY CLAY WITH CARB MATTER
98.50	100.50	2.00	GRAY CLAY
100.50	101.50	1.00	GREENISH GRAY CLAY WITH PYRITE
101.50	102.50	1.00	BASALT/TRAP
<b>BH NO. = K-8</b>			
<b>SRL= 26.10</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	3.65	3.65	TOP SOIL WITH KANKARS

3.65	24.15	20.50	VARIEGATED CLAY
24.15	29.25	5.10	GRAY CLAY
29.25	30.90	1.65	COMPACT-HARD GREENISH GRAY CLAY
30.90	31.35	0.45	GREENISH GRAY CLAY WITH RED SPOTS
31.35	31.55	0.20	COMPACT-HARDGREENISH GRAY CLAY
31.55	32.28	0.73	GRAY CLAY
32.28	33.93	1.65	COMPACT-HARD GRAY CLAY
33.93	35.50	1.57	GRAY CLAY
35.50	41.50	6.00	SANDY GRAY CLAY
41.50	47.50	6.00	GRAY CLAY
47.50	53.50	6.00	GRAY CLAY WITH CARB MATTER
53.50	56.12	2.62	GRAY CLAY WITH PYRITE
56.12	56.20	0.08	DARK GRAY CLAY WITH CARB MATTER
<b>56.20</b>	<b>65.12</b>	<b>8.92</b>	<b>LIGNITE</b>
65.12	66.95	1.83	GRAY CLAY
66.95	74.50	7.55	GREENISH GRAY CLAY WITH PYRITE
74.50	77.50	3.00	WETHERED BASALT
<b>BH NO. = K-9</b>			
<b>SRL= 23.97</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	2.50	2.50	TOP SOIL WITH KANKARS
2.50	2.75	0.25	SANDSTONE PEBBLES
2.75	2.95	0.20	FERRUG. SANDSTONE
2.95	4.00	1.05	MED GRAINED GRAYISH SAND
4.00	33.10	29.10	VARIEGATED CLAY
33.10	35.50	2.40	GREENISH GRAY CLAY
35.50	38.50	3.00	GRAY CLAY
38.50	44.50	6.00	GREENISH GRAY CLAY
44.50	47.50	3.00	GRAY CLAY
47.50	47.82	0.32	GREENISH GRAY CLAY
47.82	50.39	2.57	GRAY CLAY
50.39	51.65	1.26	COMPACT-HARD GREENISH GRAY CLAY
51.65	51.80	0.15	GREENISH GRAY CLAY
51.80	52.48	0.68	COMPACT-HARD GRAY CLAY
52.48	52.69	0.21	GRAY CLAY
52.69	53.21	0.52	COMPACT-HARD GRAY CLAY
53.21	56.50	3.29	GRAY CLAY
56.50	75.50	19.00	SANDY GRAY CLAY
75.50	80.20	4.70	GRAY CLAY WITH PYRITE & FOSSILS
<b>80.20</b>	<b>88.70</b>	<b>8.50</b>	<b>LIGNITE</b>
88.70	88.85	0.15	DARK GRAY CLAY WITH CARB MATTER
88.85	91.50	2.65	GRAY CLAY
91.50	94.50	3.00	GREENISH GRAY CLAY WITH PYRITE
94.50	95.50	1.00	WETHERED BASALT
<b>BH NO. = K-15</b>			
<b>SRL= 22.95</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	3.98	3.98	TOP SOIL WITH KANKARS
3.98	4.01	0.03	CONGLOMERATIC SANDSTONE
4.01	5.50	1.49	COARSE TO MED GRAYISH SAND

5.50	22.95	17.45	VARIAGATED CLAY GRAY,YELL,RED,
22.95	35.50	12.55	GRAY CLAY WITH RED TINGES
35.50	39.10	3.60	GREENISH GRAY CLAY
39.10	46.50	7.40	GRAY CLAY WITH RED TINGES
46.50	47.73	1.23	GRAY CLAY
47.73	47.76	0.03	CLAY STONE
47.76	47.89	0.13	GRAY CLAY
47.89	48.00	0.11	CLAY STONE
48.00	50.50	2.50	GRAY CLAY
50.50	62.50	12.00	SANDY GRAY CLAY
62.50	71.50	9.00	SANDY GRAY CLAY WITH FOSSILS
71.50	72.57	1.07	GRAY CLAY WITH FOSSILS
<b>72.57</b>	<b>76.28</b>	<b>3.71</b>	<b>LIGNITE WITH PYRITE</b>
76.28	76.32	0.04	DARK GRAY CLAY WITH CARB MATTER
76.32	76.57	0.25	GRAY CLAY WITH CARB MATTER
<b>76.57</b>	<b>77.37</b>	<b>0.80</b>	<b>LIGNITE WITH PYRITE</b>
77.37	77.50	0.13	DARK GRAY CLAY WITH CARB MATTER
<b>77.50</b>	<b>78.37</b>	<b>0.87</b>	<b>LIGNITE WITH PYRITE</b>
78.37	78.49	0.12	DARK GRAY CLAY WITH CARB MATTER
<b>78.49</b>	<b>78.67</b>	<b>0.18</b>	<b>LIGNITE</b>
78.67	86.50	7.83	GRAY CLAY
86.50	89.50	3.00	WEATHERED BASALT/TRAP
<b>BH NO. = K-16</b>			
<b>SRL= 20.88</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	1.00	1.00	TOP SOIL WITH KANKAR
1.00	4.00	3.00	MED TO FINE GRAINED GRAYISH SAND
4.00	4.03	0.03	FERRUG. SANDSTONE
4.03	4.62	0.59	SANDY BROWNISH CLAY
4.62	19.83	15.21	VARIAGATED CLAY((G+Y+R)
19.83	20.75	0.92	FRIABLE FERRUG.SANDSTONE
20.75	23.50	2.75	FINE GRAINED YELLOWISH SAND
23.50	24.10	0.60	FRIABLE FERRUG.SANDSTONE
24.10	24.49	0.39	SANDY YELLOWISH CLAY
24.49	26.50	2.01	MED TO FINE GRAINED GRAYISH SAND
26.50	28.00	1.50	SANDY YELLOWISH CLAY
28.00	28.13	0.13	FRIABLE FERRUG.SANDSTONE
28.13	44.11	15.98	COARSE TO MED GRAYISH SAND
44.11	44.23	0.12	CONGLOMERATIC SANDSTONE
44.23	44.92	0.69	SANDY GRAY CLAY
44.92	46.85	1.93	MED GRAINED GRAYISH SAND
46.85	47.72	0.87	SANDY GRAY CLAY
47.72	47.94	0.22	SANDY DARK GRAY CLAY WITH CARB MAT
47.94	62.01	14.07	MED GRAINED GRAYISH SAND
62.01	62.41	0.40	SANDY GRAY CLAY
62.41	62.75	0.34	SANDSTONE
62.75	65.50	2.75	MED GRAINED GRAYISH SAND
65.50	65.60	0.10	SANDSTONE
65.60	71.10	5.50	SANDY GRAY CLAY
71.10	72.42	1.32	COMPACT-HARD GREENISH GRAY CLAY WITH RED TINGES
72.42	73.07	0.65	SANDY GREENISH GRAY CLAY

73.07	74.50	1.43	COMPACT-HARD GRAY CLAY
74.50	86.00	11.50	SANDY GRAY CLAY
86.00	86.10	0.10	SIDERITIC BOULDER
86.10	93.14	7.04	GRAY CLAY WITH PYRITE AND FOSSILS
<b>93.14</b>	<b>96.75</b>	<b>3.61</b>	<b>LIGNITE</b>
96.75	96.93	0.18	CARB CLAY
<b>96.93</b>	<b>101.50</b>	<b>4.57</b>	<b>LIGNITE</b>
101.50	107.00	5.50	GRAY CLAY WITH CARB MATTER
<b>BH NO. = K-18</b>			
<b>SRL= 20.21</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	1.50	1.50	TOP SOIL WITH KANKAR
1.50	3.00	1.50	SANDY BROWNISH CLAY
3.00	5.00	2.00	COARSE TO MED GRAINED SAND
5.00	25.28	20.28	VARIGATED CLAY
25.28	25.62	0.34	FRIABLE FERRUG. SANDSTONE
25.62	25.82	0.20	SANDY YELLOWISH VARIAGATED CLAY
25.82	26.02	0.20	FRIABLE FERRUG. SANDSTONE
26.02	26.65	0.63	YELLOWISH SANDY CLAY
26.65	32.50	5.85	MED TO FINE GRAINED GRAY SAND
32.50	32.65	0.15	FRIABLE FERRUG. SANDSTONE
32.65	44.50	11.85	MED TO FINE GRAINED GRAY SAND
44.50	45.55	1.05	SANDSTONE
45.55	55.62	10.07	MED TO FINE GRAINED GRAY SAND
55.62	55.68	0.06	SANDSTONE
55.68	55.95	0.27	SAND GRAY CLAY
55.95	56.50	0.55	SANDSTONE
56.50	59.50	3.00	MED TO FINE GRAINED GRAY SAND
59.50	60.15	0.65	SANDSTONE
60.15	69.95	9.80	MED TO FINE GRAINED GRAY SAND
69.95	71.45	1.50	CONGLOMERATIC SANDSTONE
71.45	71.50	0.05	GRAY CLAY
71.50	72.22	0.72	COMPACT-HARD GREENISH GRAY CLAY WITH RED TINGES
72.22	74.22	2.00	GRAY CLAY WITH RED TINGES
74.22	75.21	0.99	COMPACT-HARD GREENISH GRAY CLAY
75.21	75.43	0.22	GRAY CLAY
75.43	75.59	0.16	COMPACT-HARD GRAY CLAY
75.59	75.86	0.27	GRAY CLAY
75.86	76.18	0.32	COMPACT-HARD GRAY CLAY
76.18	76.51	0.33	GRAY CLAY
76.51	76.78	0.27	COMPACT-HARD GRAY CLAY
76.78	77.04	0.26	GRAY CLAY
77.04	77.19	0.15	COMPACT-HARD GRAY CLAY
77.19	78.00	0.81	GRAY CLAY
78.00	78.28	0.28	COMPACT-HARD GRAY CLAY
78.28	80.50	2.22	GRAY CLAY
80.50	92.50	12.00	SANDY GRAY CLAY
92.50	94.90	2.40	GRAY CLAY
94.90	95.05	0.15	CLAYSTONE FRACTURED
95.05	96.75	1.70	GRAY CLAY WITH FOSSILS
96.75	97.10	0.35	DARK GRAY CLAY WITH CARB MATTER

<b>97.10</b>	<b>104.20</b>	<b>7.10</b>	<b>LIGNITE</b>
104.20	107.00	2.80	GRAY CLAY WITH PYRITE
107.00	110.50	3.50	LITHOMERGIC CLAY
<b>BH NO. = K-41</b>			
<b>SRL= 22.96</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	1.60	1.60	TOP SOIL
1.60	3.75	2.15	SANDY BROWNISH CLAY
3.75	9.60	5.85	VARIAGATED CLAY GRAY,YELLOW,RED
9.60	9.70	0.10	FERRUG.SANDSTONE
9.70	13.85	4.15	VARIAGATED CLAY GRAY,YELLOW,RED
13.85	26.00	12.15	MED.GRAINED YELLOWISH SAND
26.00	26.25	0.25	FERRUG.SANDSTONE
26.25	28.15	1.90	VARIAGATED CLAY GRAY,YELLOW,RED
28.15	35.50	7.35	MED.GRAINED YELLOWISH SAND
35.50	35.85	0.35	SANDY VARIAGATED CLAY
35.85	40.75	4.90	GRAY CLAY
40.75	44.50	3.75	MED.GRAINED GRAYISH SAND
44.50	48.85	4.35	GRAY CLAY WITH RED TINGES
48.85	54.25	5.40	GREENISH GRAY CLAY
54.25	62.50	8.25	GRAY CLAY
62.50	80.40	17.90	SANDY GRAY CLAY
<b>80.40</b>	<b>83.17</b>	<b>2.77</b>	<b>LIGNITE</b>
83.17	83.42	0.25	DARK GRAY CLAY WITH CARB MATTER
<b>83.42</b>	<b>85.90</b>	<b>2.48</b>	<b>LIGNITE</b>
85.90	86.30	0.40	GRAY CLAY WITH CARB MATTER
86.30	86.40	0.10	CARB CLAY
<b>86.40</b>	<b>87.05</b>	<b>0.65</b>	<b>LIGNITE</b>
87.05	87.23	0.18	GRAY CLAY
87.23	87.31	0.08	DARK GRAY CLAY WITH CARB MATTER
<b>87.31</b>	<b>87.91</b>	<b>0.60</b>	<b>LIGNITE</b>
87.91	88.28	0.37	GRAY CLAY WITH CARB MATTER
<b>88.28</b>	<b>88.44</b>	<b>0.16</b>	<b>LIGNITE</b>
88.44	88.50	0.06	DARK GRAY CLAY WITH CARB MATTER
88.50	90.50	2.00	LIGHT GRAY CLAY
<b>BH NO. = K-49</b>			
<b>SRL= 23.71</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	2.50	2.50	TOP SOIL
2.50	5.33	2.83	FINE GEAINED SAND
5.33	6.54	1.21	BROWNISH CLAY
6.54	11.50	4.96	GRAYISH BROWNISH CLAY
11.50	14.50	3.00	VARIAGATED CLAY(BROWN,RED)
14.50	15.60	1.10	GRAYISH BROWNISH CLAY
15.60	20.50	4.90	GRAY CLAY WITH RED PATCHES
20.50	21.70	1.20	GRAYISH BROWNISH CLAY
21.70	22.28	0.58	GRAY CLAY WITH RED TINGES
22.28	29.50	7.22	GRAY CLAY
29.50	32.50	3.00	GRAY CLAY WITH BROWN TINGES
32.50	41.50	9.00	GRAYISH GREENISH CLAY

41.50	45.25	3.75	GRAY CLAY WITH RED PATCHES
45.25	60.45	15.20	GRAY CLAY
<b>60.45</b>	<b>62.45</b>	<b>2.00</b>	<b>LIGNITE</b>
62.45	64.46	2.01	DARK BLACK CLAY
<b>64.46</b>	<b>65.24</b>	<b>0.78</b>	<b>LIGNITE</b>
65.24	65.50	0.26	GRAY CLAY
65.50	71.50	6.00	GRAYISH WHITISH CLAY
<b>BH NO. = K-54</b>			
<b>SRL= 21.59</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	0.50	0.50	TOP SOIL
0.50	1.00	0.50	TOP SOIL WITH KANKARS
1.00	1.50	0.50	BROWNISH CLAY
1.50	2.00	0.50	BROWNISH CLAY WITH KANKARS
2.00	3.15	1.15	BROWNISH CLAY
3.15	3.50	0.35	YELLOWISH CLAY
3.50	7.00	3.50	VARIAGATED CLAYS
7.00	9.88	2.88	GRAYISH CLAY
9.88	16.50	6.62	YELLOWISH CLAY WITH GYPSUM
16.50	20.40	3.90	MED TO FINEGRAINED BROWNISH WHIITISH SAND
20.40	20.73	0.33	CONGLOMERATE
20.73	24.90	4.17	YELLOWISH CLAY
24.90	26.50	1.60	YELLOWISH BROWNISH SANDY CLAY
26.50	29.33	2.83	SANDY BROWNISH CLAY
29.33	29.50	0.17	CONGLOMERATIC SANDSTONE
29.50	32.20	2.70	MED TO FINEBROWNISH WHITISH SAND
32.20	32.50	0.30	GRAY CLAY WITH KANKARS
32.50	47.80	15.30	FINE TO MED GRAINED BROWNISH SAND
47.80	53.50	5.70	DARK GRAY CLAY
53.50	56.25	2.75	MED TO FINE BROWNISH WHITISH SAND
56.25	56.30	0.05	CONGLOMERATIC SANDSTONE
56.30	56.77	0.47	DARK GRAY CLAY
56.77	56.81	0.04	CONGLOMERATIC SANDSTONE
56.81	65.50	8.69	MED TO FINE GRAINED CLAYEY SAND
65.50	65.61	0.11	SANDY CLAY WITH KANKARS
65.61	67.00	1.39	DARK GRAY CLAY
67.00	71.50	4.50	GRAY CLAY
71.50	74.85	3.35	GRAY CLAY WITH RED PATCHES
74.85	75.32	0.47	COMPACT-HARD GREENISH GRAY CLAY
75.32	75.44	0.12	DARK GRAY CLAY
75.44	76.03	0.59	GRAY CLAY
76.03	76.62	0.59	DARK GRAY CLAY
76.62	85.09	8.47	SANDY DARK GRAY CLAY
85.09	85.47	0.38	DARK GRAY CLAY
85.47	86.77	1.30	GRAY CLAY WITH CARB MATTER
86.77	89.50	2.73	DARK GRAY CLAY WITH PYRITE
89.50	91.68	2.18	DARK GRAY CLAY
91.68	94.38	2.70	DARK GRAY CLAY WITH FOSSILS
94.38	94.49	0.11	CLAY STONE PYRITIC
94.49	94.60	0.11	DARK GRAY CLAY
<b>94.60</b>	<b>99.38</b>	<b>4.78</b>	<b>LIGNITE</b>

99.38	99.59	0.21	DARK GRAY CLAY WITH CAQRB MATTER
<b>99.59</b>	<b>104.39</b>	<b>4.80</b>	<b>LIGNITE</b>
104.39	104.50	0.11	GRAY CLAY
104.50	106.50	2.00	WHITISH GRAY CLAY
106.50	109.64	3.14	GRAY CLAY
109.64	110.50	0.86	GRAY CLAY
110.50	111.41	0.91	SANDY GREENISH GRAY CLAY
111.41	112.00	0.59	WEATHERED BASALT
<b>BH NO. = K-58</b>			
<b>SRL= 21.09</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	5.50	5.50	TOP SOIL
5.50	6.50	1.00	TOP SOIL WITH KANKARS
6.50	9.56	3.06	YELLOWISH BROWNISH CLAY
9.56	10.44	0.88	FERUGENOUS SANDSTONE
10.44	11.67	1.23	SANDY YELLOWISH CLAY
11.67	11.90	0.23	VARIAGATED CLAYS
11.90	14.00	2.10	FINE TO MEDIUM GRAINED BROWNISH SAND
14.00	14.62	0.62	GRAYISH YELLOWISH CLAY
14.62	16.90	2.28	FINE TO MEDIUM GRAINED BROWNISH SAND
16.90	17.50	0.60	GRAYISH BROWNISH CLAY WITH KANKARS
17.50	18.79	1.29	REDDISH BROWNISH CLAY
18.79	20.27	1.48	YELLOWISH CLAY
20.27	23.50	3.23	REDDISH BROWNISH CLAY
23.50	26.50	3.00	BROWNISH GRAYISH CLAY
26.50	27.97	1.47	GRAYISH CLAY
27.97	29.50	1.53	GRAYISH YELLOWISH CLAY
29.50	34.78	5.28	GRAY CLAY WITH RED SPOTS
34.78	35.19	0.41	COMPACT-HARD GRAY CLAY WITH RED SPOTS
35.19	35.50	0.31	GRAY CLAY
35.50	37.50	2.00	DARK GRAY CLAY
37.50	44.50	7.00	GRAY CLAY
44.50	53.50	9.00	GRAY CLAY WITH RED SPOTS
53.50	54.22	0.72	SANDY GRAY CLAY
54.22	58.98	4.76	GRAY CLAY
58.98	62.09	3.11	DARK GRAY CLAY
62.09	62.50	0.41	COMPACT-HARD GREENISH GRAY CLAY WITH RED SPOTS
62.50	65.50	3.00	GRAY CLAY
65.50	71.62	6.12	SANDY DARK GRAY CLAY
71.62	72.70	1.08	DARK GRAY CLAY
72.70	73.06	0.36	SANDSTONE BOULDERS
73.06	74.50	1.44	DARK GRAY CLAY
74.50	77.50	3.00	GRAY CLAY WITH PYRITE
77.50	80.35	2.85	DARK GRAY CLAY
80.35	84.50	4.15	DARK GRAY CLAY WITH CARB.MATTER
<b>84.50</b>	<b>92.14</b>	<b>7.64</b>	<b>LIGNITE</b>
92.14	95.50	3.36	GRAYISH WHITISH CLAY
<b>BH NO. = K-60</b>			
<b>SRL= 26.34</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>

0.00	3.10	3.10	TOP SOIL
3.10	3.60	0.50	BROWNISH CLAY
3.60	4.10	0.50	GRAYISH CLAY
4.10	4.90	0.80	REDDISH BROWNISH CLAY
4.90	7.07	2.17	BROWNISH GRAYISH CLAY
7.07	8.39	1.32	REDDISH YELLOWISH CLAY
8.39	11.61	3.22	BROWNISH CLAY
11.61	12.29	0.68	BROWNISH YELLOWISH CLAY
12.29	13.66	1.37	GRAYISH CLAY
13.66	14.50	0.84	GRAYISH YELLOWISH CLAY
14.50	17.50	3.00	REDDISH YELLOWISH BROWNISH CLAY
17.50	20.23	2.73	BROWNISH YELLOWISH CLAY
20.23	20.60	0.37	REDDISH BLUISH CLAY
20.60	22.79	2.19	GRAY CLAY WITH RED SPOTS
22.79	23.09	0.30	COMPACT-HARD GRAY CLAY WITH RED SPOTS
23.09	23.50	0.41	GRAY CLAY
23.50	24.74	1.24	SANDY GRAY CLAY
24.74	24.84	0.10	COMPACT-HARD GREENISH GRAY CLAY
24.84	26.86	2.02	DARK GRAY CLAY
26.86	32.40	5.54	SANDY DARK GRAY CLAY
32.40	32.50	0.10	DARK GRAY CLAY
32.50	32.96	0.46	SANDY DARK GRAY CLAY
32.96	33.96	1.00	DARK GRAY CLAY
33.96	34.57	0.61	SANDY DARK GRAY CLAY
34.57	34.68	0.11	BOULDER
34.68	36.84	2.16	SANDY DARK GRAY CLAY
36.84	43.29	6.45	DARK GRAY CLAY
43.29	43.50	0.21	DARK GRAY CLAY WITH CARB.MATTER
<b>43.50</b>	<b>51.50</b>	<b>8.00</b>	<b>LIGNITE</b>
51.50	51.61	0.11	DARK GRAY CLAY
<b>51.61</b>	<b>51.82</b>	<b>0.21</b>	<b>LIGNITE</b>
51.82	53.50	1.68	GRAYISH WHITISH CLAY
<b>BH NO. = K-61</b>			
<b>SRL= 22.93</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	4.50	4.50	TOP SOIL
4.50	5.50	1.00	BROWNISH CLAY WITH KANKAR
5.50	7.44	1.94	BROWNISH CLAY
7.44	8.92	1.48	YELLOWISH BROWNISH CLAY
8.92	10.82	1.90	GRAYISH BROWNISH CLAY
10.82	14.50	3.68	YELLOWISH BROWNISH CLAY
14.50	17.39	2.89	GRAYISH BROWNISH CLAY
17.39	20.50	3.11	GRAYISH YELLOWISH CLAY
20.50	22.54	2.04	GRAYISH BROWNISH CLAY
22.54	24.22	1.68	GRAYISH REDDISH CLAY
24.22	29.50	5.28	BROWNISH GRAYISH CLAY
29.50	38.50	9.00	GRAY CLAY
38.50	40.18	1.68	GRAY CLAY WITH RED SPOTS
40.18	44.50	4.32	GRAY CLAY
44.50	45.08	0.58	GREENISH GRAY CLAY
45.08	45.56	0.48	GRAY CLAY WITH RED SPOTS

45.56	47.73	2.17	GRAY CLAY
47.73	48.29	0.56	GRAY CLAY WITH RED SPOTS
48.29	49.99	1.70	COMPACT-HARD GREENISH GRAY CLAY WITH RED SPOTS
49.99	51.94	1.95	COMPACT-HARD GRAY CLAY
51.94	53.50	1.56	GRAY CLAY
53.50	55.60	2.10	DARK GRAY CLAY
55.60	63.75	8.15	SANDY DARK GRAY CLAY
63.75	64.88	1.13	DARK GRAY CLAY
64.88	68.50	3.62	SANDY DARK GRAY CLAY
68.50	69.42	0.92	SANDY DARK GRAY CLAY WITH PYRITE
69.42	72.03	2.61	DARK GRAY CLAY
72.03	72.83	0.80	DARK GRAY CLAY WITH CARB.MATTER
72.83	74.50	1.67	DARK GRAY CLAY
74.50	77.13	2.63	DARK GRAY CLAY WITH PYRITE
77.13	78.95	1.82	DARK GRAY CLAY WITH FOSSILS
78.95	79.26	0.31	DARK GRAY CLAY WITH CARB.MATTER
<b>79.26</b>	<b>87.18</b>	<b>7.92</b>	<b>LIGNITE</b>
87.18	87.36	0.18	DARK GRAY CLAY WITH CARB MATTER
87.36	89.50	2.14	GRAYISH WHITISH CLAY
<b>BH NO. = K-62</b>			
<b>SRL= 24.56</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	2.50	2.50	TOP SOIL
2.50	5.50	3.00	BROWNISH CLAY WITH KANKAR
5.50	5.72	0.22	BOULDER
5.72	6.42	0.70	BROWNISH GRAYISH CLAY
6.42	7.62	1.20	GRAYISH YELLOWISH CLAY
7.62	12.54	4.92	BROWNISH GRAYISH CLAY
12.54	13.09	0.55	GRAYISH CLAY
13.09	14.50	1.41	BROWNISH YELLOWISH CLAY
14.50	15.92	1.42	GRAYISH BROWNISH CLAY
15.92	17.15	1.23	YELLOWISH CLAY
17.15	17.61	0.46	GRAYISH CLAY
17.61	17.89	0.28	YELLOWISHGRAYISH CLAY
17.89	19.28	1.39	GRAYISH CLAY WITH RED SPOTS
19.28	19.63	0.35	GRAYISH YELLOWISH CLAY
19.63	20.50	0.87	GRAYISH BROWNISH CLAY
20.50	22.70	2.20	GRAYISH BROWNISH REDDISH CLAY
22.70	24.74	2.04	GRAY CLAY
24.74	26.50	1.76	GRAY CLAY WITH RED SPOTS
26.50	27.16	0.66	GRAYISH REDDISH CLAY
27.16	28.41	1.25	GRAY CLAY WITH RED SPOTS
28.41	34.58	6.17	GRAY CLAY
34.58	34.84	0.26	COMPACT-HARD GRAY CLAY WITH RED SPOTS
34.84	36.54	1.70	GRAY CLAY
36.54	37.30	0.76	COMPACT-HARD GREENISH GRAY CLAY WITH RED SPOTS
37.30	38.16	0.86	COMPACT-HARD GRAY CLAY
38.16	38.44	0.28	GRAY CLAY
38.44	38.73	0.29	COMPACT-HARD GRAY CLAY
38.73	39.57	0.84	GRAY CLAY
39.57	40.95	1.38	COMPACT-HARD GRAY CLAY

40.95	41.50	0.55	GRAY CLAY
41.50	45.27	3.77	DARK GRAY CLAY
45.27	55.03	9.76	SANDY DARK GRAY CLAY
55.03	56.26	1.23	DARK GRAY CLAY
56.26	58.23	1.97	SANDY DARK GRAY CLAY
58.23	58.70	0.47	DARK GRAY CLAY
58.70	59.40	0.70	SANDY DARK GRAY CLAY
59.40	59.50	0.10	DARK GRAY CLAY WITH PYRITE
59.50	59.74	0.24	SANDY DARK GRAY CLAY WITH PYRITE
59.74	61.04	1.30	DARK GRAY CLAY WITH CARB MATTER
61.04	62.50	1.46	DARK GRAY CLAY
62.50	64.67	2.17	DARK GRAY CLAY WITH PYRITE
64.67	64.93	0.26	DARK GRAY CLAY WITH CARB MATTER
<b>64.93</b>	<b>73.50</b>	<b>8.57</b>	<b>LIGNITE</b>
73.50	75.50	2.00	GRAYISH WHITISH CLAY
<b>BH NO. = K-65</b>			
<b>SRL= 23.52</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	2.50	2.50	TOP SOIL
2.50	5.50	3.00	TOP SOIL WITH KANKAR
5.50	8.50	3.00	BROWNISH CLAY WITH BOULDERS
8.50	11.50	3.00	YELLOWISH BROWNISH CLAY
11.50	17.90	6.40	BROWNISH
17.90	18.05	0.15	BROWNISH CLAY WITH BOULDERS
18.05	23.35	5.30	FINE GRAINED BROWNISH SAND
23.35	23.50	0.15	FERRUGENOUS SANDSTONE
23.50	26.00	2.50	FINE GRAINED BROWNISH SAND
26.00	26.50	0.50	FERRUGENOUS SANDSTONE
26.50	26.56	0.06	BOULDERS
26.56	26.73	0.17	GRAY CLAY
26.73	30.54	3.81	REDISH BROWNISH YELLOWISH CLAY
30.54	32.16	1.62	GRAY CLAY
32.16	32.60	0.44	COMPACT GREENISH GRAY CLAY WITH RED SPOTS
32.60	38.50	5.90	GRAY CLAY
38.50	41.50	3.00	GRAY CLAY WITH RED SPOTS
41.50	44.50	3.00	DARK GRAY CLAY WITH RED SPOTS
44.50	47.50	3.00	GRAY CLAY WITH RED SPOTS
47.50	58.50	11.00	GRAY CLAY
58.50	60.13	1.63	GRAY CLAY WITH RED SPOTS
60.13	60.82	0.69	SANDY GRAY CLAY
60.82	68.03	7.21	GRAY CLAY
68.03	69.25	1.22	GRAY CLAY WITH RED SPOTS
69.25	73.83	4.58	GRAY CLAY
73.83	75.50	1.67	COMPACT-HARD GREENISH GRAY CLAY WITH RED SPOTS
75.50	77.21	1.71	COMPACT-HARD GRAY CLAY
77.21	77.71	0.50	GRAY CLAY
77.71	83.88	6.17	SANDY DARK GRAY CLAY
83.88	83.99	0.11	BOULDERS
83.99	84.20	0.21	DARK GRAY CLAY
84.20	84.35	0.15	CLAY STONE
84.35	87.90	3.55	SANDY DARK GRAY CLAY

87.90	90.50	2.60	DARK GRAY CLAY
90.50	91.50	1.00	GRAY CLAY
91.50	92.50	1.00	GRAY CLAY WITH PYRITE
92.50	96.76	4.26	DARK GRAY CLAY WITH FOSSILS
96.76	97.24	0.48	DARK GRAY CLAY
<b>97.24</b>	<b>105.87</b>	<b>8.63</b>	<b>LIGNITE</b>
105.87	107.50	1.63	WHITISH GRAY CLAY
<b>BH NO. = K-66</b>			
<b>SRL= 19.91</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	5.50	5.50	TOP SOIL
5.50	7.55	2.05	BROWNISH CLAY WITH SAND
7.55	8.50	0.95	BROWNISH CLAY
8.50	15.06	6.56	YELLOWISH BROWNISH CLAY
15.06	15.86	0.80	FERRUGENOUS SANDSTONE
15.86	26.45	10.59	FINE GRAINED BROWNISH SAND
26.45	28.25	1.80	REDISH GRAYISH CLAY
28.25	29.50	1.25	BROWNISH GRAYISH CLAY
29.50	44.94	15.44	GRAY CLAY WITH RED SPOTS
44.94	50.04	5.10	GRAY CLAY
50.04	50.50	0.46	COMPACT-HARD GREENISH GRAY CLAY WITH RED SPOTS
50.50	50.95	0.45	COMPACT-HARD GRAY CLAY
50.95	53.50	2.55	GRAY CLAY
53.50	53.79	0.29	GREENISH GRAY CLAY
53.79	55.93	2.14	GRAY CLAY WITH RED SPOTS
55.93	57.08	1.15	GRAY CLAY
57.08	58.00	0.92	SANDY GRAY CLAY
58.00	61.69	3.69	GRAY CLAY
61.69	62.04	0.35	COMPACT-HARD GREENISH GRAY CLAY
62.04	64.63	2.59	GRAY CLAY
64.63	65.50	0.87	DARK GRAY CLAY
65.50	69.12	3.62	COMPACT-HARD GREENISH GRAY CLAY WITH RED SPOTS
69.12	69.57	0.45	SANDY GRAY CLAY
69.57	74.50	4.93	SANDY DARK GRAY CLAY
74.50	77.50	3.00	SANDY DARK GRAY CLAY WITH BOULDERS
77.50	80.50	3.00	DARK GRAY CLAY WITH CARB MATTER
80.50	82.75	2.25	DARK GRAY CLAY WITH PYRITE
82.75	89.50	6.75	SANDY GRAY CLAY
<b>89.50</b>	<b>98.68</b>	<b>9.18</b>	<b>LIGNITE</b>
98.68	101.50	2.82	WHITISH GRAY CLAY
<b>BH NO. = 1</b>			
<b>SRL= 23.78</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	52.15	52.15	OB
<b>52.15</b>	<b>53.75</b>	<b>1.60</b>	<b>LIGNITE</b>
53.75	57.50	3.75	IB
<b>57.50</b>	<b>57.70</b>	<b>0.20</b>	<b>LIGNITE</b>
57.70	67.15	9.45	BASE
<b>BH NO. = 2</b>			
<b>SRL= 22.81</b>			

FROM	TO	THICK	LITHOLOGY
0.00	59.10	59.10	OB
<b>59.10</b>	<b>59.40</b>	<b>0.30</b>	<b>LIGNITE</b>
59.40	60.13	0.73	IB
<b>60.13</b>	<b>61.00</b>	<b>0.87</b>	<b>LIGNITE</b>
61.00	68.95	7.95	BASE
<b>BH NO. = 5</b>			
<b>SRL= 22.02</b>			
FROM	TO	THICK	LITHOLOGY
0.00	1.60	1.60	OB
1.60	79.85	78.25	OB
<b>79.85</b>	<b>80.65</b>	<b>0.80</b>	<b>LIGNITE</b>
80.65	83.05	2.40	IB
<b>83.05</b>	<b>84.85</b>	<b>1.80</b>	<b>LIGNITE</b>
84.85	96.50	11.65	BASE
<b>BH NO. = 6</b>			
<b>SRL= 20.84</b>			
FROM	TO	THICK	LITHOLOGY
0.00	97.50	97.50	OB
<b>97.50</b>	<b>97.80</b>	<b>0.30</b>	<b>LIGNITE</b>
97.80	99.00	1.20	IB
<b>99.00</b>	<b>104.00</b>	<b>5.00</b>	<b>LIGNITE</b>
104.00	106.50	2.50	BASE
<b>BH NO. = 98</b>			
<b>SRL= 21.50</b>			
FROM	TO	THICK	LITHOLOGY
0.00	89.97	89.97	OB
<b>89.97</b>	<b>97.85</b>	<b>7.88</b>	<b>LIGNITE</b>
97.85	109.00	11.15	BASE
<b>BH NO. = 739</b>			
<b>SRL= 23.30</b>			
FROM	TO	THICK	LITHOLOGY
0.00	72.90	72.90	OB
<b>72.90</b>	<b>79.85</b>	<b>6.95</b>	<b>LIGNITE</b>
79.85	103.00	23.15	BASE
<b>BH NO. = 740</b>			
<b>SRL= 23.12</b>			
FROM	TO	THICK	LITHOLOGY
0.00	79.30	79.30	OB
<b>79.30</b>	<b>89.05</b>	<b>9.75</b>	<b>LIGNITE</b>
89.05	104.00	14.95	BASE
<b>BH NO. = 741</b>			
<b>SRL= 26.22</b>			
FROM	TO	THICK	LITHOLOGY
0.00	54.75	54.75	OB
<b>54.75</b>	<b>62.00</b>	<b>7.25</b>	<b>LIGNITE</b>
62.00	82.00	20.00	BASE

<b>BH NO. = 744</b>			
<b>SRL= 20.42</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	70.15	70.15	OB
<b>70.15</b>	<b>78.25</b>	<b>8.10</b>	<b>LIGNITE</b>
78.25	89.00	10.75	BASE
<b>BH NO. = 745</b>			
<b>SRL= 21.25</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	80.20	80.20	OB
<b>80.20</b>	<b>88.45</b>	<b>8.25</b>	<b>LIGNITE</b>
88.45	107.00	18.55	BASE
<b>BH NO. = 746</b>			
<b>SRL= 20.90</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	89.95	89.95	OB
<b>89.95</b>	<b>97.25</b>	<b>7.30</b>	<b>LIGNITE</b>
97.25	111.00	13.75	BASE
<b>BH NO. = 748</b>			
<b>SRL= 25.00</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	69.50	69.50	OB
<b>69.50</b>	<b>77.90</b>	<b>8.40</b>	<b>LIGNITE</b>
77.90	87.00	9.10	BASE
<b>BH NO. = 749</b>			
<b>SRL= 24.80</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	74.75	74.75	OB
<b>74.75</b>	<b>83.85</b>	<b>9.10</b>	<b>LIGNITE</b>
83.85	96.00	12.15	BASE
<b>BH NO. = 750</b>			
<b>SRL= 22.95</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	84.45	84.45	OB
<b>84.45</b>	<b>89.57</b>	<b>5.12</b>	<b>LIGNITE</b>
89.57	101.00	11.43	BASE
<b>BH NO. = 751</b>			
<b>SRL= 19.48</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	79.30	79.30	OB
<b>79.30</b>	<b>93.02</b>	<b>13.72</b>	<b>LIGNITE</b>
93.02	105.00	11.98	BASE
<b>BH NO. = 752</b>			
<b>SRL= 20.15</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	91.82	91.82	OB

<b>91.82</b>	<b>100.32</b>	<b>8.50</b>	<b>LIGNITE</b>
100.32	116.00	15.68	BASE
<b>BH NO. = 753</b>			
<b>SRL= 20.05</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	100.65	100.65	OB
<b>100.65</b>	<b>106.85</b>	<b>6.20</b>	<b>LIGNITE</b>
106.85	122.00	15.15	BASE
<b>BH NO. = 755</b>			
<b>SRL= 25.65</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	83.55	83.55	OB
<b>83.55</b>	<b>92.50</b>	<b>8.95</b>	<b>LIGNITE</b>
92.50	122.00	29.50	BASE
<b>BH NO. = 756</b>			
<b>SRL= 22.76</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	83.25	83.25	OB
<b>83.25</b>	<b>92.10</b>	<b>8.85</b>	<b>LIGNITE</b>
92.10	102.00	9.90	BASE
<b>BH NO. = 757</b>			
<b>SRL= 21.05</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	93.00	93.00	OB
<b>93.00</b>	<b>102.30</b>	<b>9.30</b>	<b>LIGNITE</b>
102.30	125.00	22.70	BASE
<b>BH NO. = 758</b>			
<b>SRL= 21.40</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	96.05	96.05	OB
<b>96.05</b>	<b>102.15</b>	<b>6.10</b>	<b>LIGNITE</b>
102.15	116.00	13.85	BASE
<b>BH NO. = 759</b>			
<b>SRL= 17.82</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	91.50	91.50	OB
<b>91.50</b>	<b>99.70</b>	<b>8.20</b>	<b>LIGNITE</b>
99.70	113.00	13.30	BASE
<b>BH NO. = 760</b>			
<b>SRL= 17.82</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	112.00	112.00	OB
<b>112.00</b>	<b>120.47</b>	<b>8.47</b>	<b>LIGNITE</b>
120.47	141.00	20.53	BASE
<b>BH NO. = 769</b>			
<b>SRL= 25.50</b>			

FROM	TO	THICK	LITHOLOGY
0.00	69.25	69.25	OB
<b>69.25</b>	<b>75.05</b>	<b>5.80</b>	<b>LIGNITE</b>
75.05	89.00	13.95	BASE
<b>BH NO. = 770</b>			
<b>SRL= 19.12</b>			
FROM	TO	THICK	LITHOLOGY
0.00	73.20	73.20	OB
<b>73.20</b>	<b>81.25</b>	<b>8.05</b>	<b>LIGNITE</b>
81.25	96.00	14.75	BASE
<b>BH NO. = 771</b>			
<b>SRL= 21.65</b>			
FROM	TO	THICK	LITHOLOGY
0.00	77.75	77.75	OB
<b>77.75</b>	<b>83.50</b>	<b>5.75</b>	<b>LIGNITE</b>
83.50	94.00	10.50	BASE
<b>BH NO. = 775</b>			
<b>SRL= 22.02</b>			
FROM	TO	THICK	LITHOLOGY
0.00	61.00	61.00	OB
<b>61.00</b>	<b>69.60</b>	<b>8.60</b>	<b>LIGNITE</b>
69.60	84.00	14.40	BASE
<b>BH NO. = 776</b>			
<b>SRL= 23.07</b>			
FROM	TO	THICK	LITHOLOGY
0.00	71.65	71.65	OB
<b>71.65</b>	<b>76.80</b>	<b>5.15</b>	<b>LIGNITE</b>
76.80	92.00	15.20	BASE
<b>BH NO. = 779</b>			
<b>SRL= 22.63</b>			
FROM	TO	THICK	LITHOLOGY
0.00	64.05	64.05	OB
<b>64.05</b>	<b>66.15</b>	<b>2.10</b>	<b>LIGNITE</b>
66.15	66.50	0.35	IB
<b>66.50</b>	<b>68.00</b>	<b>1.50</b>	<b>LIGNITE</b>
68.00	88.00	20.00	BASE
<b>BH NO. = 741A</b>			
<b>SRL= 25.75</b>			
FROM	TO	THICK	LITHOLOGY
0.00	35.35	35.35	OB
<b>35.35</b>	<b>41.95</b>	<b>6.60</b>	<b>LIGNITE</b>
41.95	56.00	14.05	BASE
<b>BH NO. = B</b>			
<b>SRL= 23.03</b>			
FROM	TO	THICK	LITHOLOGY
0.00	74.20	74.20	OB

<b>74.20</b>	<b>82.53</b>	<b>8.33</b>	<b>LIGNITE</b>
82.53	90.50	7.97	BASE
<b>BH NO. = C</b>			
<b>SRL= 24.39</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	86.70	86.70	OB
<b>86.70</b>	<b>94.18</b>	<b>7.48</b>	<b>LIGNITE</b>
94.18	94.38	0.20	IB
<b>94.38</b>	<b>94.79</b>	<b>0.41</b>	<b>LIGNITE</b>
94.79	105.50	10.71	BASE
<b>BH NO. = D</b>			
<b>SRL= 27.97</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
0.00	41.65	41.65	OB
<b>41.65</b>	<b>50.02</b>	<b>8.37</b>	<b>LIGNITE</b>
50.02	60.50	10.48	BASE

<b>LIST OF BARREN BOREHOLES</b>			
<b>BH NO. = K-51</b>			
<b>SRL= 24.51</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
<b>BARREN BOREHOLE</b>			
<b>BH NO. = 720</b>			
<b>SRL= 27.70</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
<b>BARREN BOREHOLE</b>			
<b>BH NO. =721</b>			
<b>SRL= 28.15</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
<b>BARREN BOREHOLE</b>			
<b>BH NO. =741C</b>			
<b>SRL= 27.05</b>			
<b>FROM</b>	<b>TO</b>	<b>THICK</b>	<b>LITHOLOGY</b>
<b>BARREN BOREHOLE</b>			